



GEORGETOWN DIVIDE  
Public Utility District

P.O. BOX 4240

PHONE (530) 333-4356

GEORGETOWN, CALIFORNIA 95634-4240

FAX (530) 333-9442

[gd-pud.org](http://gd-pud.org)

March 5, 2021

Ms. Tiffany Schmid  
Director, Development Services Division  
2850 Fairlane Court  
Placerville, CA 95667

Subject: **Georgetown Divide Public Utility District – 2020 Urban Water  
Management Plan Notice**

Dear Ms, Schmid:

The Georgetown Divide Public Utility District (the District) is preparing its 2020 Urban Water Management Plan (UWMP). The UWMP is required to be submitted to the California Department of Water Resources (DWR) every five years per water code 10610-10657. The purpose of this letter is to notify El Dorado County Planning Division that the District is updating the UWMP for 2020. The District intends to present the findings at a public hearing scheduled for the May 11, 2021, board of directors meeting.

Sincerely,

Jeff Nelson  
Interim General Manager



GEORGETOWN DIVIDE  
Public Utility District

P.O. BOX 4240

PHONE (530) 333-4356

GEORGETOWN, CALIFORNIA 95634-4240

FAX (530) 333-9442

gd-pud.org

March 5, 2021

Mr. Kenneth Payne  
El Dorado County Water Agency  
4330 Golden Center Drive, Suite C  
Placerville, CA 95667

Subject: **Georgetown Divide Public Utility District – 2020 Urban Water  
Management Plan Notice**

Dear Mr, Payne:

The Georgetown Divide Public Utility District (the District) is preparing its 2020 Urban Water Management Plan (UWMP). The UWMP is required to be submitted to the California Department of Water Resources (DWR) every five years per water code 10610-10657. The purpose of this letter is to notify El Dorado County Water Agency that the District is updating the UWMP for 2020. The District intends to present the findings at a public hearing scheduled for the May 11, 2021, board of directors meeting.

Sincerely,

Jeff Nelson  
Interim General Manager